BERHAMPUR MUNICIPAL CORPORATION

QUOTATION CALL NOTICE

No. 3136

Date: 04/03/25

The Berhampur Municipal Corporation invites sealed Quotation from registered Agencies/ firms from Odisha through Regd. Post/ Speed Post in two bid system for "Supply of IT Assets to Berhampur Municipal Corporation".

The Start and end date of sale of Quotation from ______04/03/25 12/03/25 . Physical Quotation should reach to the undersigned on or before 12/03/25 by 5:00 PM and will be opened on 13/03/25 at 11:30 AM in the office chamber of the undersigned in presence of the quotationer or their authorised agents who intends to attend. The rate to be quoted shall be inclusive of Installation, handling and transportation / delivery charges (Excluding GST)). No extra cost on any account whatsoever will be admissible. Conditional quotations will be rejected immediately.

The Technical and Financial Bid should be submitted in two different Cover Superscribing as TECHNICAL DOCUMENTS and FINANCE DOCUMENTS respectively and put in a Single cover superscribing "TENDER DOCUMENTS FOR SUPPLY OF IT ASSETS TO BERHAMPUR MUNICIPAL CORPORATION" The rate should be written clearly and legibly without any error or overwriting and both in figures and in words. In case of difference or rates or any ambiguity over rates, then the rates written in words will be taken into consideration.

Prequalification for Technical Evaluation:

Each bidder should furnish the following documents with the Technical Bid.

- 1. Bid Cost of Rs. 4720/- (non-refundable) in shape of DD in favour of Commissioner, Berhampur Municipal Corporation.
- 2. EMD of Rs. 10,000/- in shape of DD in favour of Commissioner, Berhampur Municipal Corporation.
- 3. Bidder should have OEM Authorisation specific to this Tender.
- 4. GST Regn.
- 5. PAN Card.
- 6. Bidder should have local registration, supporting documents should be submitted.
- 7. Bidder must have 1cr minimum average turnover in last 3 FY 2021-22,2022-23 and 2023-24 with ITR and last 2 months GSTR return copy attached. Turnover certificate on CA letterhead.
- 8. The Product Compliance sheet must be on OEM Letterhead with the company seal & signed by the local Partner Business Manager.
- 9. Warranty certificate and OS must be preloaded declaration of the product must be notarised attested by the concern authority.
- 10. The bidder must have a registered office in the state of the Consignee location for faster and better Service, Support, and Documentary Proof to be uploaded along with the BID
- 11. Bidder should work with Govt. in similar nature along with copy of previous orders and credentials issued by any Govt. Office/ Organisation in favour of him/her/them.
- 12. Undertaking for non blacklisted from any govt/psu on letterhead.
- 13. Bidder should submit the Catalogue for the Products quoted.
- 14. All documents should be ink signed stamp properly.

	Desktop Specification			
ltems				
Cabinet Form Factor	Specification Tower/Misser T			
Chipset Number	Tower/Micro Tower (15.1 to 26 Litres)			
Processor Make	Intel H670/Intel® H770 or higher Chipset			
Processor	Intel			
Processor Generation	x86 64-bit architecture			
Processor Description	13 Or higher			
Processor Number	Intel Core i5 or higher			
	Intel Core i5 13500 or higher			
Number of Cores and Threads per Processor Operating System	Max Turbo Frequency 4.8Ghz, Minimum 8 Cores and 20 Threads or higher			
RAM Size (GB)	Windows 11 Professional			
	DDD 44500 0000			
RAM Expandability up to (using spare DIMM Slot in GB)	64 GB or higher			
Integrated Graphics	Intel UHD Graphics 770or higher			
Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Yes			
Type of Drives used to populate the Internal Bays	NVMe SSD			
Total HDD Capacity (GB)	NA NA			
Total SSD Capacity (GB)				
Optical Drive	512GB NVMe SSD			
Drive Bays	Optional			
Slots for Upgradation	Two 3.5" (2.5") HDD 1 PCI Express 4.0 x16, 1 PCI Express 3.0 x1, 1 PCI (Full Height),			
LAN	2 M.2 slots for WLAN & SSD			
Ports and Connectors	LAN: Integrated 10/100/1000M Front: 1 headphone/microphone combo; 3 Super Speed USB 5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, total 6nos USB in front for easy access Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 DP; 2 USB 2.0			
Firmware Trusted Platform Module	TPM 2.0			
Hardware Security lock slot	Security lock slot			
Power Supply	180Watt Internal power supply with minimum 90% efficiency			
	Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if required. OEM must have the ISO 9001,14001, ISO 20001, ISO 27001			
Certification	Certificate			
	Microsoft Windows, Energy star 8.0 certified Bidder should submit BIS BEE EDEAT AND A STATE OF THE PROPERTY O			
	Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of			
eyboard Mouse	products at the time of participation of the Bid.			
onitor	USB Keyboard; USB Optical Mouse 21.5" LED Display with CTO Certified and same must be belongs			
ears of Warranty	the same OEM Years Onsite Warranty			

SI.N	Itani	Technical Specification of Laptop Notebook
1		Specifications
2	Form Factor	Clamshell
3	Chassis	With metallic hinges
	Chipset	Integrated in Processor
4	Processor	Intel Coro is 133511
5	Memory	Intel Core i5-1335U or Higher, Boost up to 4.6 GHz or higher 08GB (1x08GB) DDR4-3200 MHz RAM, should support Dual Channel, Memore expandability up to 16 GB or Higher with 2 DIMM Slots
6	Storage	expandability up to 16 GB or Higher with 2 DIMM Slots
7	Graphics	512GB NVMe Solid State Drive
8	Audio	Integrated Graphics
9	Operating System	Integrated audio controller with 2 Integrated stereo speakers Microsoft Windows 11 Horse St.
10	operating system	Microsoft Windows 11 Home SL
10	Networking	802.11b/g/n/ax (2x2) WLAN and Bluetooth® 5.3
11	Ports	Video: 1 HDML1 4 Avvis
		Video: 1 HDMI 1.4, Audio: 1 Headphone/microphone combo jack
		Minimum Two USB-A 3.2 Gen 1 ports, One SuperSpeed USB Type-C 5Gbps signalling rate.
12	Slots	(2 v M 2) for M (2 v M 2)
13	Accessories	(2 x M.2) for WLAN & Storage Backpack
	Keyboard & Touchpad	
14		Full size textured island type keyboard
		Touchpad with gestures support Finger Print Park
		secured login
L5 B	Battery	Minimum 8.00 Hours, Battery capacity 41- 45 WHr with Compliant of UL 1642 Standard and should Support battery fast charge.
6	Weight	
7	Security	Up to 1.4 Kg including battery
0		TPM 2.0
.8 M	Manageability	Integrated utility to enables hardware level testing outside the operating system &
		Drivers should be available on OEM Website for download
9 Ce	Certifications	Wheresoft Willdows 11
	ertifications	FCC, CE, RoHS, UL, EPEAT, Energy Star, MIL-STD 810,
		130 3001,14001,20001.27001 for OFM
)	Sustainable impact specifications	Low Halogen, Percentage is required of ocean-bound plastic contained in product.
	Display	
		15.6" HD, support up to 250 NITs, STB ratio should be 82% and above and
	Warranty	720p HD camera with temporal noise reduction 3 Years Onsite Warranty

	Technical Specificatio	n of Color Printer	
SI No Specification		Requirement	
1	Technology		
2	Function	Heat-Free Technology	
		Print, Scan, Copy with ADF	
3	Print speeds	up to 17 ipm for black and 9.5 ipm for colour	
4	Auto-Duplex	Yes	
5	Wi-Fi	Wi-Fi & Wi-Fi Direct	
6	Maximum Print Resolution:		
	The Resolution:	4800 x 1200 dpi	
7	Control Panel	6.09cm (2.4") Colour LCD Touch Screen	
8	Print Direction:	Bi-directional printing	
9	Nozzle Configuration	400 x 1 nozzles (Black), 128 x 1 nozzles per Colour (Cyan, Magenta, Yellow)	

10	Connectivity	USB 2.0, Wireless IEEE 802.11b/g/n, Wi-Fi Direct, Ethernet
11	warranty	1-years warranty or 100,000 pages, whichever comes first

TECHNIC	AL SPECIFICATIONS OF LINE INTER	PACTIVE UPS 100	
	voltage (Batt. Mode)	230V AC Nominal	
Output	Frequency (Batt. Mode)	50Hz ± 1Hz	
	Wave Form (Batt. Mode) Transfer Time	Modified Sinewave	
	Rating	Typical 4 ~8 ms	
Input	Input Voltage Range	1000VA (Max.)	
mput	Frequency	140V ~ 300V AC	
	Battery Type	50Hz ± 10%	
Battery	DC V/ AH/ Nos.	SMF (Sealed Maintenance Free	
	Recharge Time (Typ.)	12 V/ 7AH x 2 Batteries 6Hrs to 90% after complete	
Environment	0º ~ 40° C 0~00° Bu	1.	
	40- C, 0-90% RH Non-Condensing Noise Level 40-dp		
Physical	Dimension (mm) Weight (Kgs.)	315(L) x 130(w) x 183(H)	
Technical Features		Net: 8.02 Kgs. Gross: 8.60 Kgs.	
	Auto Switch Off in Battery Low is In- Built. Off Mode Charging & Overloaded Protection are in Built.		
OEM Turnover	1000	CR. Or Higher	
OEM Certification	ISO 9000, 27001, 14001,45001,50001,FCC,ROHS,CE,BIS,NABL Test		
	Report, MII(50%) Factory In India		
Presence in India	More than 15 years		
Presence in Odisha	Odisha	GST Certificate	
Service Centre	OEM Own minimum five no's of Service Centre in Odisha not		
Warranty	authorize	d service center	
	2years on UPS a	and 2 years on Battery	

The Price bid will be opened only the bidder who qualifies the Technical Bid.

The L1 bidder in Financial bid will be awarded after due negotiation.

The Price bid of the Quotation should be in the following format.

SI.No.	Item Description	Qty	Unit	Unit Rate	Amount
1	Desktop	0.5			
2	Laptop	06	No.		
3	Printer	02	No.		
4		06	No.		
	Oove rate is exclusive of GST)	06	No.		

Commissioner 3 23

Berhampur Municipal Corporation

Memo No. 3137

Dt. 4/3/25

Copy submitted to the Collector, Ganjam, Chatrapur for favour of kind information with a request to please display a copy of this Notice in his Office Notice Board for wide

Berhampur Municipal Corporation

Commissioners, 200

Memo No. 3138

Dt. 4/3/25 Copy forwarded to the Steno to Mayor, Berhampur Municipal Corporation / P A to Municipal Commissioner/ Steno to E.Es., Berhampur Municipal Corporation for information and necessary action.

Berhampur Municipal Corporation

Memo No. 3139

Dt. 4/3/25 Copy with enclosure to the office Notice Board/spare copies to concerned files for reference and record.

Berhampur Municipal Corporation